


VELBON
VITRIFIED

AESTHETIC
CHARM



9mm 
FULLBODY

600X1200MM

BRAND STORY

It's not always about creating new designs particularly for ceramic tiles. Innovation, technology advancement, teamwork and quality maintenance matters a lot as well. Under a well-established brand name, Velbon, since 2016, we work as a group of unbeatable businessmen, techno geeks, designers, innovators and managerial experts. Forget the vision and the mission of ours, the only motto we work for is to put a happy smile on our client's face and we left no stone unturned to fulfil our motto.



Approach always play a key role of intermediate between the brand and the end user. Better the approach of the brand, more the growth of the brand. The only approach throughout our production to be one of the most reputed brand of all time is not to follow market trends but to create and develop new trends for market with our all time fresh collection, advancement of technology and top notch customer services.




FULLBODY

600X
1200MM

With 600x1200 mm tiles, you can transform your space effortlessly. Their large size creates a smooth, seamless flow across your floors and walls, giving your room a modern, expansive feel. Perfect for making your space look bigger and more stylish.






EMPOWERING VERSATILE CHOICE

Whether indoors or outdoors, residential or commercial, these tiles bring style, durability and versatility to every space you create and empower it like no other.



DRIVEWAYS *
PATHWAYS



HIGH-TRAFFIC
AREA



SWIMMING
POOLS



PUBLIC PARKS &
GARDENS




URBAN FURNITURES
& PUBLIC SPACE



TERRACES &
BALCONIES

LAPPATO
BLACK



**LAPPATO
BLACK**

F U L L B O D Y

600X
1200MM

09MM
THICKNESS

RANDOM 01



HIGH-TRAFFIC
AREA



DRIVEWAYS *
PATHWAYS




PUBLIC PARKS &
GARDENS



SWIMMING
POOLS



LAPPATO
NEGRO



**LAPPATO
NEGRO**

F U L L B O D Y

RANDOM 01

600X
1200MM

09MM
THICKNESS



HIGH-TRAFFIC
AREA



DRIVEWAYS *
PATHWAYS




PUBLIC PARKS &
GARDENS



SWIMMING
POOLS



LAPPATO
COFFEE



**LAPPATO
COFFEE**

F U L L B O D Y

RANDOM 01

600X
1200MM

09MM
THICKNESS



HIGH-TRAFFIC
AREA



DRIVEWAYS *
PATHWAYS




PUBLIC PARKS &
GARDENS



SWIMMING
POOLS



LAPPATO
GREY



**LAPPATO
GREY**

F U L L B O D Y

RANDOM 01

600X
1200MM

09MM
THICKNESS



HIGH-TRAFFIC
AREA



DRIVEWAYS *
PATHWAYS




PUBLIC PARKS &
GARDENS



SWIMMING
POOLS



LAPPATO
KOTA



**LAPPATO
KOTA**

F U L L B O D Y

RANDOM 01

600X
1200MM

09MM
THICKNESS



HIGH-TRAFFIC
AREA




DRIVEWAYS *
PATHWAYS




PUBLIC PARKS &
GARDENS



SWIMMING
POOLS



LAPPATO
MUSHROOM



**LAPPATO
MUSHROOM**

F U L L B O D Y

RANDOM 01

600X
1200MM

09MM
THICKNESS



HIGH-TRAFFIC
AREA



DRIVEWAYS *
PATHWAYS



PUBLIC PARKS &
GARDENS



SWIMMING
POOLS



TECHNICAL SPECIFICATION

Dimension and Surface Quality	Test Method	Require	Result
Deviation in Length (l) & Width (w)	ISO 10545 - 2	± 1mm	0.00 mm
Thickness	ISO 10545 - 2	± 0.5mm	0.00 mm
Straightness of sides	ISO 10545 - 2	± 0.8mm	0.09 mm
Rectangularity	ISO 10545 - 2	± 1.5mm	0.11 mm

Physical Property

Water Absorption %	ISO 10545 - 3	Less then 0.5	0.044 %
Breaking Strength	ISO 10545 - 4	More then 1300	7194.95 N
Modulus of Rupter (MOR)N/mm ²	ISO 10545 - 4	35	49.06 N/mm ²
Resistance to surface abrasion	ISO 10545-7		PEI Class - III 1500 Revolution pass
Coefficient of Linear Thermal Expansion	ISO 10545 - 8	9X10 ⁻⁶ Max	5.51x10 ⁻⁶
Thermalshock Resis	ISO10545 - 9	10 Cycle, Min	Confirm
Crazing Resistance	ISO 10545-11	No Crazin in Two Cycle	Confirm
Moisture Expansion (in mm/mm)	ISO 10545 -10	0.02 mm/m max	0.01 mm/m max
Impact resistance	ISO 10545 - 5	0.55 Min	0.78
Scrach hardness of Srface	ISO 13630 - 13	5 moh's scal	5 Moh's
Bulk density, lin (g/cc)	ISO 10545 - 3	2.2 m'n	2.2903 glcc

Chemical Property

Resistance to Stain	ISO 10545-14	Min Class - 3	Class - 5
Resistance to Low Concentration of acid and alkali	ISO 10545-13	Min Class-GLC	Class GLA

Packaging Details:

SIZE	THICKNESS	FINISH
600x1200mm	9MM	Matt

AVG WEIGHT	NO. TILES/BOX	COVERAGE /BOX
29	2 pcs	1.44 sq. mtr 15.5 sq ft

VELBON
VITRIFIED



Survey No. 167/1 p1, p2, p3,
Village: Unchi Mandal Morbi-Halwad Road
Morbi-363641

Cell. : +919925712311
Mail : velbonvitrified@gmail.com
Export: prashant.velbonvitrified@gmail.com