

VELBON

VITRIFIED



FULLBODY
TILES

600x600mm

VELBON
VITRIFIED

Timeless Elegance is Always The Standard

Redefining architectural strength through precision engineering and refined aesthetics. Our 15mm series represents a pinnacle of durability for modern living spaces, ensuring that every surface tells a story of sophistication. It is crafted for those who demand uncompromising quality and a bold, contemporary finish in every single tile.

Experience the perfect fusion of robust 15mm thickness and high-end design language. Engineered to withstand the rigors of heavy traffic while maintaining a pristine, luxurious appearance, our tiles offer a seamless blend of form and function. Whether you are designing a high-traffic commercial hub or an intimate residential retreat, Velbon Vitrified provides the structural integrity and visual depth required for iconic projects. This collection is not just a surface; it is an enduring foundation for visionary architecture, designed to remain timeless, relevant, and visually captivating for decades to come.

velbonvitrified.com

FULLBODY
TILES


Engineered for ultimate endurance, our full body tiles offer a consistent color and composition throughout. They provide a seamless look that withstands heavy wear while maintaining high-end aesthetic appeal.



Design Inspiration is Found in The Details

Explore a spectrum of sophistication with our curated color palette. From the deep intensity of dense negro to the soft luminosity of dense lux, these shades are designed to harmonize with any architectural vision. Each hue offers a unique depth that enhances the modern interior landscape.

600x600mm



DENSE COFFEE

DENSE NEGRO

DENSE VERDE



DENSE SAHARA


DENSE GREY

DENSE CREMA

DENSE LUX

Granular Beauty in Infinite Detail

Discover the intricate beauty of our signature speckled surfaces. Each tile features a fine-grained, salt-and-pepper aesthetic that adds organic depth to the technical strength of full-body vitrified stone. It's a sophisticated balance of visual texture and smooth performance, designed to elevate the sensory experience of every floor.



FULL BODY
TILES

600x600mm

SURFACE.
RUSTIC & SATIN

Transform your environment into a sanctuary of lasting style. These tiles do more than cover a floor; they define the atmosphere with a solid, homogenous presence that brings a sense of grounded luxury. It is the invisible foundation that allows your unique interior vision to truly stand tall.






FULL BODY

FULLBODY
TILES

600x600mm

SURFACE.
RUSTIC & SATIN


DENSE COFFEE



Weather
resistant



High tensile
strength



Stress-
resistant



Frost and
fire-resistant






DENSE COFFEE - 600x600mm

FULLBODY
TILES

600x600mm

SURFACE.
RUSTIC & SATIN


DENSE NEGRO



Weather
resistant



High tensile
strength



Stress-
resistant



Frost and
fire-resistant





DENSE NEGRO - 600x600mm

FULLBODY
TILES

600x600mm

SURFACE.
RUSTIC & SATIN


DENSE VERDE



Weather
resistant



High tensile
strength



Stress-
resistant



Frost and
fire-resistant





DENSE VERDE - 600x600mm

FULLBODY
TILES

600x600mm

SURFACE.
RUSTIC & SATIN


DENSE SAHARA



Weather
resistant



High tensile
strength



Stress-
resistant



Frost and
fire-resistant






DENSE SAHARA - 600x600mm

FULLBODY
TILES

600x600mm

SURFACE.
RUSTIC & SATIN


DENSE GREY



Weather
resistant



High tensile
strength



Stress-
resistant



Frost and
fire-resistant






DENSE GREY - 600x600mm

FULLBODY
TILES

600x600mm

SURFACE.
RUSTIC & SATIN

DENSE CREMA







DENSE CREMA - 600x600mm

FULLBODY
TILES

600x600mm

SURFACE.
RUSTIC & SATIN


DENSE LUX



Weather
resistant




High tensile
strength



Stress-
resistant



Frost and
fire-resistant



DENSE LUX - 600x600mm

TECHNICAL SPECIFICATION

Dimension and Surface Quality	Test Method	Require	Result
Deviation in Length (l) & Width (w)	ISO 10545 - 2	± 1mm	0.00 mm
Thickness	ISO 10545 - 2	± 0.5mm	0.00 mm
Straightness of sides	ISO 10545 - 2	± 0.8mm	0.09 mm
Rectangularity	ISO 10545 - 2	± 1.5mm	0.11 mm

Physical Property

Water Absorption %	ISO 10545 - 3	Less then 0.5	0.044 %
Breaking Strength	ISO 10545 - 4		7194.95 N
Modulus of Rupter (MOR)N/mm ²	ISO 10545 - 4	35	49.06 N/mm ²
Resistance to surface abrasion	ISO 10545-7		PEI Class - III 1500 Revolution pass
Coefficient of Liner Thermal Expansion	ISO 10545 - 8	9X10 ⁻⁶ Max	5.51x10 ⁻⁶
Thermalshock Resis	ISO10545 - 9	10 Cycle, Min	Confirm
Crazing Resistance	ISO 10545-11	No Crazin in Two Cycle	Confirm
Moisture Expansion (in mm/mm)	ISO 10545 -10	0.02 mm/m max	0.01 mm/m max
Impact resistance	ISO 10545 - 5	0.55 Min	0.78
Scrach hardness of Srface	ISO 13630 - 13	5 moh's scal	5 Moh's
Bulk density, lin (g/cc)	ISO 10545 - 3	2.2 m'n	2.2903 glcc

Chemical Property

Resistance to Stain	ISO 10545-14	Min Class - 3	Class - 5
Resistance to Low Concentration of acid and alkali	ISO 10545-13	Min Class-GLC	Class GLA

Packaging Details:

SIZE	THICKNESS	FINISH
600x600mm	15MM	Rustic & Satin

AVG WEIGHT	NO. TILES/BOX	COVERAGE /BOX
25	2 pcs	0.72 sq. mtr 7.75 sq ft

VELBON
VITRIFIED

VELBON VITRIFIED LLP

Unchi Mandal Village, Halvad Road,
Morbi, Gujarat.

www.velbonvitrified.com
velbonvitrified@gmail.com